

Truck Light Trailer Light



Foshan Xingyuan Auto Accessories Co.,Ltd
Xingyuan LED Lighting (HK) Industrial Limited

Add:NO.2, 11th Street, Fengxiang Road, Fengxiang Industrial Area,
Daliang, Shunde District, Foshan City, Guangdong, China
Tel: +86-757-22667066 22227365 E-mail: admin@xingyuan-lighting.com
<http://www.xingyuan-led.com> <http://www.xingyuanled.com.cn>




Application



LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2230	By Screw	Single Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65



L.E.D.S

DC INPUT

IP 65

RoHS

E-MARK

Certificatte

AVAILABLE

AVAILABLE


ECE E9 R10 CE ROHS



LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2231	By Screw	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



7PIN PLUG

L.E.D.S

DC INPUT

IP 65

RoHS

E-MARK

Certificatte

AVAILABLE


AVAILABLE

ECE E9 R10 CE ROHS



ITEM NO.	Mounting Style	
XYAL2232	By Magnetic Base	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



7PIN PLUG

L.E.D.S

DC INPUT

IP 65

RoHS

E-MARK

Certificatte

AVAILABLE


AVAILABLE

ECE E9 R10 CE ROHS



ITEM NO.	Mounting Style	
XYAL2233	By Magnetic Base	Right & Left Light Rectangular Reflector

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



7PIN PLUG

L.E.D.S

DC INPUT

IP 65

RoHS

E-MARK

Certificatte

AVAILABLE

AVAILABLE

ECE E9 R10 CE ROHS




Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2234	1.4~2.1Meters	7.5Meter
XYAL2234	1.4~2.1Meters	10Meter
XYAL2234	1.4~2.1Meters	12Meter

ECE E9 R10 CE ROHS

Extendable Aluminium Tube




7PIN PLUG


L.E.D.S


DC INPUT


WATERPROOF


RoHS
Certificatte


E-MARK
AVAILABLE

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2235	1.22Meters	7.5Meter
XYAL2235	1.22Meters	10Meter
XYAL2235	1.22Meters	12Meter

ECE E9 R10 CE ROHS



PVC Board




7PIN PLUG


L.E.D.S


DC INPUT


WATERPROOF


RoHS
Certificatte


E-MARK
AVAILABLE

Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2236	1.4~2.1Meters	7.5Meter
XYAL2236	1.4~2.1Meters	10Meter
XYAL2236	1.4~2.1Meters	12Meter

ECE E9 R10 CE ROHS

Zinic Alloy Board




7PIN PLUG


L.E.D.S


DC INPUT


WATERPROOF


RoHS
Certificatte




E-MARK
AVAILABLE



LED Trailer Light



ITEM NO.	Mounting Style	
XYAL2210	By Screw	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



ITEM NO.	Mounting Style	
XYAL2212	By Magnetic Base	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters




ECE E4 R3,R4,R6,R7 CE ROHS



Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2213	1.4~2.1Meters	7.5Meter
XYAL2213	1.4~2.1Meters	10Meter
XYAL2213	1.4~2.1Meters	12Meter




ECE E4 R3,R4,R6,R7 CE ROHS

Extendable Aluminium Tube



ITEM NO.	Board Extension Length Range	Cable Length
XYAL2214	1.22Meters	7.5Meter
XYAL2214	1.22Meters	10Meter
XYAL2214	1.22Meters	12Meter



PVC Board

ECE E4 R3,R4,R6,R7 CE ROHS




PVC Board


LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2209	By Screw	Single Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters




ECE E4 R3,R4,R6,R7 CE ROHS




LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2216	By Screw	Single Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters





ECE E4 R3,R4,R6,R7 CE ROHS



ITEM NO.	Mounting Style	
XYAL2211	By Magnetic Base	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters





ECE E4 R3,R4,R6,R7 CE ROHS



ITEM NO.	Mounting Style	
XYAL2218	By Magnetic Base	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters





ECE E4 R3,R4,R6,R7 CE ROHS



LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2217	By Magnetic Base	Right & Left Light

Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters




ECE E4 R3,R4,R6,R7 CE ROHS



Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2220	1.4~2.1Meters	7.5Meter
XYAL2220	1.4~2.1Meters	10Meter
XYAL2220	1.1~1.6Meters	7.5Meter
XYAL2220	1.1~1.6Meters	10Meter





ECE E4 R3,R4,R6,R7 CE ROHS

Extendable Aluminium Tube

ITEM NO.	Mounting Style	
XYAL2219	By Magnetic Base	Right & Left Light Rectangular Reflector


Specification	
Voltage	DC12V
Light Source	LED
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



ECE E4 R3,R4,R6,R7 CE ROHS



ITEM NO.	Board Extension Length Range	Cable Length
XYAL2222	1.22Meters	7.5Meter
XYAL2222	1.22Meters	10Meter
XYAL2222	1.22Meters	12Meter



ECE E4 R3,R4,R6,R7 CE ROHS



PVC Board

Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2221	1.0Meters	7.5Meter
XYAL2221	1.3Meters	7.5Meter
XYAL2221	1.5Meters	7.5Meter

ECE E4 R3,R4,R6,R7 CE ROHS

Zinic Alloy Board




7PIN PLUG


L.E.D.S


DC INPUT


WATERPROOF


RoHS
Certificatte


E-MARK
AVAILABLE



ITEM NO.	Board Extension Length Range	Cable Length
XYAL2215	1.0Meters	7.5Meter
XYAL2215	1.0Meters	10Meter
XYAL2215	1.0Meters	12Meter

ECE E4 R3,R4,R6,R7 CE ROHS

Zinic Alloy Board




7PIN PLUG


L.E.D.S


DC INPUT


WATERPROOF


RoHS
Certificatte



E-MARK
AVAILABLE

LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2223	By Screw	

Specification

Voltage	DC12V
Light Source	Osram Lamp
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65




OSRAM LAMP


DC INPUT


WATERPROOF



RoHS
Certificatte


E-MARK
AVAILABLE

ITEM NO.	Mounting Style	
XYAL2225	By Magnetic Base	Right & Left Light

Specification


Voltage	DC12V
Light Source	Osram Lamp
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters




7PIN PLUG


OSRAM LAMP


DC INPUT


WATERPROOF


RoHS
Certificatte


E-MARK
AVAILABLE

ECE E4 R4,R6,R7 CE ROHS





ECE E4 R4,R6,R7 CE ROHS



LED Trailer Light

ITEM NO.	Mounting Style	
XYAL2224	By Screw	Right & Left Light

Specification	
Voltage	DC12V
Light Source	Osram Lamp
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



ECE E4 R4,R6,R7 CE ROHS




Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2227	1.4~2.1Meters	7.5Meter
XYAL2227	1.4~2.1Meters	10Meter
XYAL2227	1.4~2.1Meters	12Meter
XYAL2227	1.1~1.6Meters	7.5Meter
XYAL2227	1.1~1.6Meters	10Meter
XYAL2227	1.1~1.6Meters	12Meter

ECE E4 R4,R6,R7 CE ROHS

Extendable Aluminium Tube




ECE E4 R4,R6,R7 CE ROHS




ITEM NO.	Board Extension Length Range	Cable Length
XYAL2229	1.22Meters	7.5Meter
XYAL2229	1.22Meters	10Meter
XYAL2229	1.22Meters	12Meter

ECE E4 R4,R6,R7 CE ROHS





PVC Board



ITEM NO.	Mounting Style	
XYAL2226	By Magnetic Base	Right & Left Light Rectangular Reflector

Specification	
Voltage	DC12V
Light Source	Osram Lamp
Housing Material	PC
Function	Rear Position/Direction Indicator Break/Reflector/Number Plate Light
Waterproof	IP65
Cable Length	Light to Light-2.5Meters Light to Plug-7.5Meters



Trailer Light Board

ITEM NO.	Board Extension Length Range	Cable Length
XYAL2228	1.4~2.1Meters	7.5Meter
XYAL2228	1.4~2.1Meters	7.5Meter
XYAL2228	1.4~2.1Meters	7.5Meter
XYAL2228	1.1~1.7Meters	7.5Meter
XYAL2228	1.1~1.7Meters	7.5Meter
XYAL2228	1.1~1.7Meters	7.5Meter

ECE E4 R4,R6,R7 CE ROHS

Zinic Alloy Board



7PIN PLUG


OSRAM LAMP

DC INPUT

WATERPROOF

Certificate AVAILABLE


E-MARK AVAILABLE



LED Truck Light

Square LED Tail Light

ITEM NO.	XYAL-03-001A	XYAL-03-001R	XYAL-03-001W
VOLTAGE	DC12-30V	DC12-30V	DC12-30V
LIGHT SOURCE	LED	LED	LED
LED COLOR	AMBER	RED	WHITE
LENS COLOR	AMBER	RED	TRANSPARENT
FUNCTION	INDICATOR	TAIL / BRAKE	REVERSING
HOUSING MATERIAL	PC	PC	PC
WATERPROOF	IP 65	IP 65	IP 65



L.E.D.S

DC INPUT


WATERPROOF

Certificate AVAILABLE

E-MARK AVAILABLE




ITEM NO.	LED-TS-0324	LED-TS-0312
VOLTAGE	DC24	DC12
LIGHT SOURCE	LED	LED
FUNCTION	Tail / Brake /Indicator	Tail / Brake /Indicator /Number Plate Light
HOUSING MATERIAL	PC	PC
WATERPROOF	IP 65	IP 65



LED Truck Light

Square LED Tail Light

ITEM NO.	XYAL-03-002A	XYAL-03-002R	XYAL-03-002W	XYAL-03-003R
VOLTAGE	DC12-30V	DC12-30V	DC12-30V	DC12-30V
LIGHT SOURCE	LED	LED	LED	LED
LED COLOR	AMBER	RED	WHITE	RED
LENS COLOR	AMBER	RED	TRANSPARENT	RED
FUNCTION	INDICATOR	TAIL / BRAKE	REVERSING	FOG LIGHT
HOUSING MATERIAL	PC	PC	PC	PC
WATERPROOF	IP 65	IP 65	IP 65	IP 65






L.E.D.S



DC INPUT



WATERPROOF



AVAILABLE



AVAILABLE




JCTL-03-003R

LED Truck Light

Square LED Tail Light

ITEM NO.	XYAL-02-003	XYAL-02-005
VOLTAGE	DC12-30V	DC12-30V
LIGHT SOURCE	LED	LED
FUNCTION	Tail / Brake / Indicator	Tail / Brake / Indicator / Number Plate Light
HOUSING MATERIAL	PC	PC
WATERPROOF	IP 65	IP 65




JCTL-02-005
With Number Plate Light



L.E.D.S



DC INPUT





WATERPROOF



AVAILABLE



AVAILABLE





L.E.D.S



DC INPUT



WATERPROOF




AVAILABLE



AVAILABLE

ITEM NO.	XYAL-02-004
VOLTAGE	DC12-30V
LIGHT SOURCE	LED
FUNCTION	Tail / Brake / Indicator
HOUSING MATERIAL	PC
WATERPROOF	IP 65






L.E.D.S



DC INPUT



WATERPROOF



AVAILABLE




AVAILABLE



LED Truck Light

ITEM NO.	XYAL-02-001
VOLTAGE	DC12-30V
LIGHT SOURCE	LED
FUNCTION	Tail / Brake /Indicator
HOUSING MATERIAL	PC
WATERPROOF	IP 65

Square LED Tail Light





L.E.D.S



DC 12-30V




IP 65




Certificatte



AVAILABLE



ITEM NO.	XYAL-02-002
VOLTAGE	DC12-30V
LIGHT SOURCE	LED
FUNCTION	Tail / Brake /Indicator
HOUSING MATERIAL	PC
WATERPROOF	IP 65





L.E.D.S



DC 12-30V




IP 65



Certificatte




AVAILABLE



LED Truck Light

ITEM NO.	XYAL-01-001
VOLTAGE	DC12-30V
LIGHT SOURCE	LED
FUNCTION	Tail / Brake /Indicator
HOUSING MATERIAL	PC
WATERPROOF	IP 65

4" Round LED Tail Light





L.E.D.S



DC 12-30V



IP 65



Certificatte




AVAILABLE



Side Marker Light

ITEM NO.	XYAL-04-001A	XYAL-04-001B	XYAL-04-001W
VOLTAGE	DC12-30V	DC12-30V	DC12-30V
LIGHT SOURCE	LED	LED	LED
LED COLOR	AMBER	RED	WHITE
LENS COLOR	AMBER	RED	TRANSPARENT
FUNCTION	Marker Light	Marker Light	Marker Light
HOUSING MATERIAL	PC	PC	PC
WATERPROOF	IP 65	IP 65	IP 65





L.E.D.S



DC 12-30V



IP 65




Certificatte



AVAILABLE





LED Truck Light

LED Double Face Light




Item NO.	414052
Operating Voltage	12V/24V
Color	Amber/Red
LED Quantity	24
Function	illuminating/Flashing



Item NO.	414051
Function	Amner/Red Marker
Operating Voltage(v)	12V/24V
LED Quantity	7
Function	illuminating/Flashing





Item NO.	414048
Operating Voltage	12V/24V
Color	Amber/Red
LED Quantity	18
Function	illuminating/Flashing



LED Truck Light


LED Double Face Light



Item NO.	414058
Operating Voltage	12V/24V
Color	Amber/Red
LED Quantity	7
Function	illuminating/Flashing






Item NO.	414057
Function	Amner/Red Marker
Operating Voltage(v)	12V/24V
LED Quantity	16
Function	illuminating/Flashing



Item NO.	414053
Operating Voltage	12V/24V
Color	Amber/Red
LED Quantity	24
Function	illuminating/Flashing



3/4" Mini Round LED Strobe Warning Light





L.E.D.S



DC INPUT



WATERPROOF



RoHS
Certificatte
AVAILABLE



E-MARK
AVAILABLE

ITEM NO.	TH-25
VOLTAGE	DC12-24V
LIGHT SOURCE	LED
FUNCTION	Flashing
HOUSING MATERIAL	PC
WATERPROOF	IP 65

LED Strip Brake Light



ITEM NO.	414054
VOLTAGE	DC12-24V
LIGHT SOURCE	LED
FUNCTION	Half Bright/Full Bright
HOUSING MATERIAL	PC
WATERPROOF	IP 65

Plug For Trailer Light

PLUG SERIES



PLUG-03
7 Pin Trailer Plug Plastic



PLUG-03B
7Pin Trailer Plug With Cover Plastic



PLUG-05
7 Pin Trailer Plug Aluminium Alloy



PLUG-06
13Pin Trailer Plug Plastic

Plug For Trailer Light

DOUBLE PLUGS WITH CABLE SERIES



ITEM NO.	CABLE SPECIFICATION	PLUG TYPE
Plug-5D73-3.5	5core cable,3.5mtrs,	Plug-03
Plug-5D75-3.5	5core cable,3.5mtrs,	Plug-05
Plug-7D73-3.5	7core cable,3.5mtrs,	Plug-03
Plug-7D75-3.5	7core cable,3.5mtrs,	Plug-05
Plug-7D73-7	7core cable,7mtrs,	Plug-03
Plug-7D75-7	7core cable,7mtrs,	Plug-05

CONVERTOR SERIES



CON-01
7PIN TO 13PIN CONVERTOR



CON-02
7PIN TO 13PIN CONVERTOR



CON-03
7PIN TO 7PIN CONVERTOR



ITEM NO.	CABLE SPECIFICATION	PLUG TYPE
Plug-5D73-3.5F	5core cable,Strenghted Length :3.5mtrs,	Plug-03
Plug-5D75-3.5F	5core cable,Strenghted Length :3.5mtrs,	Plug-05
Plug-7D73-3.5F	7core cable,Strenghted Length :3.5mtrs,	Plug-03
Plug-7D75-3.5F	7core cable,Strenghted Length :3.5mtrs,	Plug-05
Plug-7D73-7F	7core cable,Strenghted Length :7meters ,	Plug-03
Plug-7D75-7F	7core cable,Strenghted Length :7meters ,	Plug-05



CON-04
13PIN TO DOUBLE 7PIN SOCKET CONVERTOR



CON-05
13PIN TO 7PIN SINGLE CONVERTOR



ITEM NO.	CABLE SPECIFICATION	PLUG TYPE
Plug-5D13-3.5	5core cable,Strenghted Length :3.5mtrs,	Plug-06
Plug-7D13-3.5	5core cable,Strenghted Length :3.5mtrs,	Plug-06

Plug For Trailer Light
SOCKET SERIES



PLUG-01
7 Pin SOCKET ALUMINIUM ALLOY



PLUG-04
7 Pin SOCKET PLASTIC



PLUG-04B
7 Pin SOCKET PLASTIC

Plug For Trailer Light
24V PLUG SERIES



Plug-24-001
7Pin Trailer Plug- Aluminium Alloy



Plug-24-002
7Pin Trailer Plug- Aluminium Alloy



Plug-24-003
7Pin Trailer Plug- Plastic



Plug-24-004
7Pin Trailer Plug- Plastic



Plug-24-005
7Pin Trailer Plug- Aluminium Alloy



Plug-24-006
7Pin Trailer Socket- Aluminium Alloy



Plug-13M
13Pin SOCKET PLASTIC



Plug-13F
13Pin SOCKET PLASTIC


PLUG SERIES



TR-13
13Pin TRAILER PLUG TESTER



TR-07
7Pin TRAILER PLUG TESTER



7PIN LIGHTING CONNECTIONS
12N BLACK CABLE FUNCTION

YELLOW	L/H DIRECTION INDICATOR
BLUE	REAR FOG LAMPS
WHITE	GROUND
GREEN	R/H DIRECTION INDICATOR
BROWN	R/H TAIL & LICENSE PLATE LAMP
RED	STOP LAMPS
BLACK	L/H TAIL & LICENSE PLATE LAMP

13PIN LIGHTING CONNECTIONS
CABLE FUNCTION

YELLOW	LEFT INDICATOR
BLUE	FOG LIGHT
WHITE	GROUND
GREEN	RIGHT INDICATOR
BROWN	RIGHT TAIL / SIDE LIGHT
RED	BRAKE / STOP LIGHT
BLACK	LEFT TAIL / SIDE LIGHT
PINK	REVERSING LIGHT
ORANGE	12V PERMANENT POWER SUPPLY
GREY	12V IGNITION ON
WHITE/BLACK	GROUND FOR TERMINAL 10
WHITE/BLUE	NOT USED FREQUENTLY
WHITE/	GROUND FOR TE